

In the Claims:

Attached is a marked up version of the rewritten or newly added claims as required under rule 37 C.F.R. 1.121 (c)(ii).

Claim 1. Cancel

Claim 2. Cancel

Claim 3. Cancel

Claim 4. Cancel

Claim 5. Cancel

Claim 6. Cancel

Claim 7. (Previously presented) The light as claimed in claim 6 13, wherein said means on each of said two ends, which engage said block, engage said floor of said block.

Claim 8. (Presented Prior) The light as claimed in claim 6 13, in combination with a wheel, and  
said wheel has a plurality of spokes, and  
said block is positioned on one side of said spokes, and  
said clip is positioned on an opposite side of said spokes.

Claim 9. (Original) The combination as claimed in claim 8, wherein at least two of said plurality of spokes cross, and

one of said two ends of said clip is positioned on one side of where said two of said plurality of spokes cross, and

another of said two ends is positioned on another side of where said two of said plurality of spokes cross.

Claim 10. Cancel

Claim 11. (Currently amended) A light adapted to be secured to a bike, wherein said light comprises:

a block,

said block having a length, a width, and a thickness,

means in said block for producing light,

said block having two side portions, and  
said block having a groove between said side portions, and  
said groove having a floor, and  
means for securing said block to a bike comprising clipping a spoke in the groove, and  
wherein said block has two sources for producing light, and  
wherein one of said two sources for producing light is an LED powered by a battery in said block, and another of said sources for producing light is a reflective material that said block is made from.

Claim 12. (Currently amended) A light adapted to be secured to a bike, wherein said light comprises;

a block,  
said block having a length, a width, and a thickness,  
means in said block for producing light,  
said block having two side portions, and  
said block having a groove between said side portions, and  
said groove having a floor, and  
means for securing said block to a bike by receiving a spoke in said groove and clamping the spoke in the groove with a clip, and  
wherein said block has two sources for producing light, ~~and~~  
wherein ~~said a~~ first source of light is a material of the block comprises a compound comprising a ration of six parts of phosphorescent brightener and four parts of fluorescent coloring and four drops of mineral oil to 100 parts of polyvinylchloride-, and wheein a second source of light is a battery in the block which powers a light emitting diode (LED) in the block.

Claim 13. (Currently amended) A light adapted to be secured to a bike, wheein said light comprises;

a block  
said block having a length, a width, and a thickness,  
means in said block for producing light comprising a battery in the block which powers an LED in the block,  
said block having two side portions, and

said block having a groove between said side portions, and  
said groove having a floor, and  
means for securing said block to a bike comprising securing a spoke in the groove, and  
wherein said means for securing said block to a bike comprises a clip,  
said clip having two ends and a base,  
each of said two ends having means for engaging said block with the spoke in the

groove; and

wherein said block comprises a light absorbing and light emitting compound.